

. C. Agricultural Research Serbice

Cothereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-LUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT

TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. United States seed of this variety (1) shall be sold by variety name only as OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.) Waived, Except that this waiver shall not apply to breeder seed,

seed, labeling requirements, and blending limitations).

SOYBEAN

1Brim1

In Lestimony Watherest, I have hereunto set my hand and caused the seal of the Blant Variety Protection Office to be affixed at the City of Washington, D.C. February the year of our Lord one thousand nine hundred and ninety-five.

Plant Variety Protection Of

Publit reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB 4581-0055). Washington, 20250.

of Management and Budget, Paperwork Reduction Project (OMB #0581-00	55), Washington, 202	250.	FORM APPROVED:	OMB 05	81-0055, Expires 1/31/91
U.S. DEPARTMENT OF AGRICULTURAL MARKE	TING SERVICE	TIO.	LEEDTIELEATE	dete	lication is required in order to mine if a plant variety protection licate is to be issued (7 U.S.C. 2421).
APPLICATION FOR PLANT VARIET	Information is held confidential until certificate is issued (7 U.S.C. 2426).				
a. U.S. Dept. of Agriculture/Agri. Reb. N.C. Agricultural Research Service	esearch Ser	rvice	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO. Experimental		ariety name "Brim"
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)			5. PHONE (Include area code)		FOR OFFICIAL USE ONLY
Box 7643 N.C. State University Raleigh, NC 27695-7643			(919) 737-2718	PVPO	9100195 Date 12,1991
6. GENUS AND SPECIES NAME	7. FAMILY NAME	(Botani	eat)	L i N	Time
Glycine max	Legumino	sae	•	G	A.M P.M.
8. CROP KIND NAME (Common Name) Soybean			DATE OF DETERMINATION DELICATY 19,1990 SHE 2800-1994	F E S	Filing and Examination Fee: \$ 2/50.
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	NIZATION (Corporal	lion, part	nership, association, etc.)	R	June 12, 1991
Federal and State Governmental Agencie	S			C	Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DA	TE OF INCORPORATION	E I V E	Date 250,000
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	SERVE IN THIS AR	DISCATION	AN AND DECEME ALL DADEDO	D	Oct, 28,1994
Michael W. Baker N.C. Foundation Seed Producers, Inc. P.O. Box 33245, Method Station Raleigh, NC 27636 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Fol.) a. X Exhibit A, Origin and Breeding History of the Variety. b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Variety. d. Exhibit D, Additional Description of Variety. e. X Exhibit E, Statement of the Basis of Applicant's Ownersh 1. Seed Sample (2,500 viable untreated seeds). Date Seed g. X Filing and Examination Fee (\$2,150) made payable to " 15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SO Protection Act.) YES (If "YES," answer items 16 and 17 be NUMBER OF GENERATIONS? X YES NO	nip. I Sample mailed to Treasurer of the Urich BY VARIETY NA How) TO 17. IF	Plant \ nited St ME ONLY NO (II "N "YES" TO	dariety Protection Officeates."	ee sectio	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VA	RIETY IN THE U.S.?		;		
YES (If "YES," through Plant Variety Protection Act	Patent Act.	Give dat	e:)		
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR M X YES (II "YES," give names of countries and dates) NO	A, June 1	8,19	OTHER COUNTRIES? 90 J.J., 280J.1944		
20. The applicant(s) declare(s) that a viable sample of basic se request in accordance with such regulations as may be appl. The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle Applicant(s) is (are) informed that false representation her	licable. sexually reprod d to protection u	duced i	novel plant variety, and believe ne provisions of section 42 of the l	e(s) the	at the variety is distinct,
SIGNATURE OF APPLICANT [Owner(s)]	ÇAPAC	HTY OR 1	TITLE	D	ATE
M. E. Carter	*VSD	Administrator USDA/ARS			MAY 1 4 1991
CAPACITY OR TITLE Director N.C. Agri. Research Service					4/30/9/

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete.

- 14a. 1. 'Brim' (N82-1198) was developed by USDA-ARS cooperating with NCARS. The line is an ${\it F}_5$ selection from the cross of 'Davis' x 'Essex'.
 - 2. The initial and subsequent selection was conducted in North Carolina. The final selection was made in 1982. Yield evaluations were made the following year in local preliminary trials in North Carolina. The line was entered in regional preliminary trials (8 locations) in 1984 and in regional uniform tests in 1985-1987. Breeders seed was provided to the N.C. Foundation Seed Program in 1989 and has been increased for one year.
 - 3. Purple flowered or tawny subsequent plants were occasionally found at very low frequency due to seed mixture. These were rogued prior to harvest.
 - 4. Seven years of testing and increase have demonstrated no instability.
- 14b. 'Brim' (N82-1198) is most similar to 'Young'. It differs from Young by having brown pod color and higher yielding ability. In North Carolina official variety trials (1986-1989), Brim yielded 6% more than Young (see attached table).
- 14c. See attached form.
- 14d. None

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOTBER	AN (Grycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
N.C. Agricultural Research Service		"Brim"
Dr. J. W. Burton (Breeder) ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	ol .	FOR OFFICIAL USE ONLY
Box 7643	·	PVPO NUMBER
N.C. State University		910 019 5
Raleigh NC 27695-7643		/ 10 017 0
Choose the appropriate response which characterizes the var	iety in the features described l	pelow. When the number of significant digits
in your answer is fewer than the number of boxes provided,	place a zero in the first box w	hen number is 9 or less (e.g., 0 9).
Starred characters * are considered fundamental to an adequ	1ate soybean variety descriptio	n. Other characters should be described
when information is available.		
1. SEED SHAPE:	$oldsymbol{\mathbb{O}}$	
II W	$ _{\mathrm{T}} $	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	2 = Spherical Flattened /	L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		L/T ratio > 1.2; T/W > 1.2)
	en en samen en e	e <u>e de la companya del companya de la companya de la companya del companya de la companya de la</u>
7 2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	e e e e e e e e e e e e e e e e e e e	and the second of the second o
(A = Dull (10 m m 70) (10 m m 1)		
2 = Shiny ('Nebso	y'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
4. SEED SIZE. (Mature Geetl)		
Grams per 100 seeds		*
5. HILUM COLOR: (Mature Seed)		
1 = Buff 2 = Yellow 3 = Brown 4	i = Gray 5 = Imperfect Blac	k 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green	•	the second secon
	<u> </u>	
7. SEED PROTEIN PEROXIDASE ACTIVITY:		•
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	·	
2 1700 to 17	e e e e e e e e e e e e e e e e e e e	and the second of the second o
9. HYPOCOTYL COLOR:	·	
	bronze band below cotyledons ("V	Voodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; '	Coker Hampton 266A')	and the second s
		<u> </u>
10. LEAFLET SHAPE:		
1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

			9100195
11. LE/	AFLET SIZE:		· · · · · · · · · · · · · · · · · · ·
[2	1 = Small ('Amsoy 71'; 'A5312') 2 = Med	lium ('Corsoy 79'; 'Gasoy 17')	•
	3 = Large ('Crawford'; 'Tracy')		and the second s
12. LEA	F COLOR:		
াত	1 = Light Green ('Weber'; 'York') 2 = Med	ium Green ('Corsoy 79'; 'Braxton')	
3	3 = Dark Green ('Gnome'; 'Tracy')	en e	e de la companya de
★ 13. FLO	WER COLOR:		
85 S 1	1 = White 2 = Purple 3 = White w	rith purple throat	
			And the second of the second o
★ 14: POD	COLOR:		
2	1 = Tan 2 = Brown 3 = Black		the state of the s
15. PLA	NT PUBESCENCE COLOR:		
	1 = Gray 2 = Brown (Tawny)		
			All the second of the second o
16. PLAI	IT TYPES:	and the second of the second o	
2	1 = Stender ('Essex'; 'Amsoy 71') 2 = Inter 3 = Bushy ('Gnome'; 'Govan')	mediate ('Amcor'; 'Braxton')	and the second s
17. PLAN	IT HABIT:		
18. MATU	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi- 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') JRITY GROUP: 1 = 000 2 = 00 3 = 0 4 = I		Distribution of the control of the c
0 9	1 = 000 2 = 00 3 = 0 4 = I 9 = VI 10 = VII 11 = VIII 12 = IX	5 = II 6 = IH 7 = IV 13 = X	8 = V
	and the second s	n layan di ang milay kang mina maka maka maka maka maka maka ma	Geography and the state of th
19. DISEA	ASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = R	the second secon	
BAC	TERIAL DISEASES:	and the second of the second o	
* [2]	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)		
* 0	Bacterial Blight (Pseudomonas glycinea)	and the second of the second o	and the second of the second o
* O	Wildfire (Pseudomonas tabaci)		
FUNG	AL DISEASES:	er er en er en er en	
* O	Brown Spot (Septoria glycines)	e e e e e e e e e e e e e e e e e e e	and the control of the second
ne. Define	Frogeye Leaf Spot (Cercospora sojina)	in the second of	
* 0	Race 1 Race 2 Race 3	Race 4 0 Race 5	Other (Specify)
ा	Target Spot (Corynespora cassiicola)		
Image: Control of the	Downy Mildew (Peronospora trifoliorum var. manshurica)		
	Powdery Mildew (Microsphaera diffusa)	in the state of th	
* 🖷	Brown Stem Rot (Cephalosporium gregatum)	- 19 (1994年) - 1995年) - 1996年 - 1996	
	Stem Canker (Diaporthe phaseolorum var. caulivora)		
است و	1. 18 18 18 18 18 18 18 18 18 18 18 18 18	and the five expensive or the distriction of the contract of t	1874 Conference 1875

19.	DISEA	SE REACTION	l: (Enter 0 = Not T	ested; 1 = Susceptib	le; 2 = Resistant) (C	ontinued)	e de la companya de	en karing series as k	123 FF Company Company		
	FUNGAL DISEASES: (Continued)										
*	0	Pod and Sten	n Blight <i>(Diaporthe</i>	phaseolorum var; so	njae)						
	0	Purple Seed Stain (Cercospora kikuchii)									
	\bigcirc	Rhizoctonia Root Rot (Rhizoctonia solani)									
		Phytophthora	a Rot (Phytophthor	a megasperma var. s	ojae)						
*	0	Race 1	O Race 2	O Race 3	Race 4	Ø Race 5	Race 6	O Race	e 7		
	0	Race 8	Ø Race 9	2 Other (Spec	city) Cylinda	rocladium	root rot		· · · · · · · · · · · · · · · · · · ·		
	VIRA	L DISEASES:			·						
		Bud Blight (T	obacco Ringspot V	irus)	e e						
	0	Yellow Mosai	c (Bean Yellow Mo:	saic Virus)			•				
*	0	Cowpea Mosa	ic (Cowpea Chlorot	tic Virus)							
	0	Pod Mottle (E	Bean Pod Mottle Vir	·us)							
*	2	Seed Mottle (Soybean Mosaic Vi	rus)							
	NEM	ATODE DISEA									
	Soybean Cyst Nematode (Heterodera glycines)										
*		Race 1	Race 2	Race 3	Race 4	Other (Sp	ecify)				
	0										
*				Meloidogyne incogn	nita)						
*		Northern Roo	ot Knot Nematode (Meloidogyne Hapla)	I						
	H			eloidogyne arenaria)							
			natode (<i>Rotylench</i> u								
	띔		ASE NOT ON FOR	·							
, -											
20.	PHYSIO	LOGICAL RE	SPONSES: (Enter (D = Not Tested; 1 = :	Susceptible; 2 = Resi	stant)		•			
*	0	Iron Chlorosis	on Calcareous Soil				•	•			
		Other (Specify	v)			· · · · · · · · · · · · · · · · · · ·		<u> </u>			
21.	21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)										
	0	Mexican Bean			ANTERIOR DE SERVICE TORRES DE LOS DESIGNAS		eresa este e estado abalit.	a e lanes.			
	0										
	Other (Specify)										
22. I	22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.										
		ACTER		OF VARIETY	· · · · · · · · · · · · · · · · · · ·	ACTER	NAME O	F VARIETY	·		
P	lant Sha	pe	Young			at Luster	Gasoy 17		· · · · · · · · · · · · · · · · · · ·		
L	eaf Shap	e .	Young		Seed Size	e·	Young				
L	eaf Colo	r vindinas	Tracy		Seed Sha	ipe	Young		4,500 p.		
L	eaf Size	14.7	Young			Pigmentation	Young	V.73.1	Maria Maria		
	1-1-69-59	3.90 (1.75)	Bernard Bright Control	rijin ili di bili baya mayar	Property and a second	arten Ba [®] ayaay waa la					

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CON	TENT	SEED SIZE G/100	NO. SEEDS/
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	134	3	111	7	12	43.2	19.8	1.4	
YOUNG Name of Similar Variety	Young 1389	Young	Young	9	13	43.2	19.8	Young	author the way and any a

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

The manager of the property of the

enden Graham styr der uthat der neutwick australie er der

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Table A. A comparison of average dates of maturity of soybean cultivars 'Brim' and 'Young' over four years in North Carolina.

	1988		1988 1989		1	1991		1992		Average	
	\mathbf{n}^{\dagger}	Date [‡]	n	Date	n	Date	n	Date	n	Date	
Brim	4	10/29	4	10/23	2	10/23	3	10/22	13	10/25	
Young	4	10/30	4	10/26	2 .	10/25	3	10/25	13	10/27	

[†]n= number of locations in North Carolina

Table B. A comparison of average plant heights of soybean cultivars 'Brim' and 'Young' over four years in North Carolina.

	1988		1989		1991		1992		Average	
	n^{\dagger}	Height [‡]	n	Height	n	Height	n	Height	n	Height
Brim	1	39	4	37	2	44	3	36	10	41
Young	1	42	4	39	2	44	3	39	10	38

[†]rounded to the nearest whole day

 $^{^{\}dagger}$ n= number of locations in North Carolina

[‡]rounded to the nearest inch

Table

Yield (bu/a) performance of N82-1198 in the North Carolina Official Variety
Test 1986-89

	<u>1986</u>	<u>1987</u>	1988	<u>1989</u>	Average
			Lenoir C	ounty	
Leflore	29	29	51	29	34.5
Asgrow 6785	42	39	54	32	41.8
Young	38	33	59	39	42.3
N82-1198	40	33	69	37	44.8
L.S.D.	9	5	9	7	
			Washington	County	
Leflore	45	48		54	49.0
Asgrow 6785	57	56		54	55.7
Young	55	51		51	52.3
N82-1198	57	54		5.6	55.7
L.S.D.	7	7	•	8	
			Edgecomb C	ounty	
Leflore		33	46	27	35.3
Asgrow 6785		33	52	32	39.0
Young		32	60	24	38.7
N82-1198		31	52	36	39.7
L.S.D.		N.S.	10	6	
			Robeson Co	unty	
Leflore		40	37	50	42.3
Asgrow 6785	· · · · · · · · · · · · · · · · · · ·	39	44	57	46.7
Young		37	44	64	48.3
N82-1198		39	39	70	49.3
L.S.D.		7	6	7	·

Table - (continued) PERFORMANCE OF N82-1198

46.5

48.5

n=2

Young

N82-1198

			Wilson Cou	nty	
Leflore		48	54	35	45.7
Asgrow 6785		47	61	43	50.3
Young		43	58	38	46.3
N82-1198		51	60	40	50.3
L.S.D.		5	7	3	
			Stanley C	ounty	
Leflore			46	39	42.5
Asgrow 6785			58	38	48.0
Young			55	44	49.5
N82-1198			57	54	55.5
L.S.D.			7	8	
					
		Sum	<u>MARY</u>		
	<u>1986</u>	1987	1988	<u>1989</u>	<u>Overall</u>
Leflore	37.0	39.6	46.8	39.0	41.1
Asgrow 6785	49.5	42.8	53.8	42.7	46.6

39.2

41.6

n=5

55.2

55.4

n=5

43.3

48.8

n=6

45.8

48.6

n=18

SOYBEAN

BRIM

Exhibit E. Statement of the Basis of Applicant's Ownership

Brim was developed by Dr. Joe W. Burton, Research Geneticist with the U.S. Department of Agriculture, Agricultural Research Service (USDA-ARS) and Professor of Crop Science with the N.C. Agricultural Research Service (NCARS) College of Agriculture and Life Sciences, N. C.State University. Brim is owned exclusively by the USDA-ARS and the NCARS who retain all rights to its use.



Agricultural Marketing Service

Science Division Plant Variety Protection Office NAL Building, Room 500 10301 Baltimore Blvd Beltsville, MD 20705-2351

PLANT VARIETY PROTECTION OFFICE

Gentlemen:

Subject: Application No. 9100195

Variety and Kind: 'Brim' Soybean

As provided in section 83(a) of the Plant Variety Protection Act, 7 U.S.C. 2321, we request that the Certificate on the above variety be issued with a notation on the Certificate that the right to exclude others from selling, offering for sale, reproducing, importing or exporting the variety covered by this Certificate, or using it in producing a hybrid or different variety is waived, except that this waiver shall not apply to breeders seed, foundation seed, labeling requirements, and blending limitations.

It has been agreed that the Certificate should be issued in the name(s) of:

N.C. Agricultural Research Service of the second supplied to the second second

10/11/94

(Date)

Musel W. Bake (Signature)